



## CERTIFICATE OF ANALYSIS

### Product

Purified AAV9-Empty (Lot 24-0910E)

### Storage Conditions

The AAV vectors should be kept at  $-80^{\circ}\text{C}$  for long-term storage. When storing for frequent use,  $4^{\circ}\text{C}$  is recommended.

Avoid storing at  $-20^{\circ}\text{C}$ .

### Shipping Conditions

Dry Ice

### Manufacture Date

2024-09-10

### Shelf Life/Expiration Date

Virovek's AAV will last 5 years from the manufacture date when stored at  $-80^{\circ}\text{C}$  without freeze-thaw cycles.

### Description

**AAV9-Empty** was produced in insect Sf9 cells by infection with rBV-V289-inCap9-inRep-kozak-hr2.

The vectors were purified through 2 rounds of CsCl ultracentrifugation. CsCl was removed through buffer exchange with Amicon desalting columns. The vectors were then sterilized via filtration with  $0.22\ \mu\text{m}$  filters. The final buffer is 1xPBS + 0.001% pluronic F-68.

These vectors are for research use only and not for any human purposes.

### Capsid Titer

The titer of **AAV9-Empty** particles was determined by measuring the OD value with Nano Drop and plotting against a known AAV standard curve.




### Quality Control Data

SDS-PAGE and InstantBlue Staining (Invitrogen) techniques were used to verify the purity of the vectors (Fig. 1). DNA agarose gel electrophoresis was used to verify absence of full AAV or for any visible DNA present (Fig. 2).

Product titer


Lot 24-0910E: 2E+13 vp/mL

---



Lane M: Protein Ladder  
Lane C: AAV8 Standard Control, 1E+11 vg Loaded  
Lane 10: AAV9-Empty Lot 24-0910E, 1E+11 vp Loaded  
Other lanes are not related to this batch.

Fig. 1. SDS-PAGE and InstantBlue Staining of purified samples.



Lane M: 1kb DNA Ladder  
Lane 7: AAV9-Empty Lot 24-0910E, 1E+11 vp Loaded  
Other lanes are not related to this batch.

Fig.2 DNA agarose gel of purified samples.

Approved By: QA/QC Team    Date: 2024-09-19